www.Breaking News English.com

Ready-to-Use English Lessons by Sean Banville

"1,000 IDEAS & ACTIVITIES FOR LANGUAGE TEACHERS"

www.breakingnewsenglish.com/book.html

Thousands more free lessons from Sean's other websites

www.freeeslmaterials.com/sean_banville_lessons.html

Level 6

Up to half of adults suffer from mental illness 18th January, 2016

http://www.breakingnewsenglish.com/1601/160118-mental-illness.html

Contents

| The Article | 2 | Discussion (Student-Created Qs) | 14 |
|--------------------------------|----|--|----|
| Warm-Ups | 3 | Language Work (Cloze) | 15 |
| Before Reading / Listening | 4 | Spelling | 16 |
| While Reading / Listening | 5 | Put The Text Back Together | 17 |
| Match The Sentences And Listen | 6 | Put The Words In The Right Order | 18 |
| Listening Gap Fill | 7 | Circle The Correct Word | 19 |
| Comprehension Questions | 8 | Insert The Vowels (a, e, i, o, u) | 20 |
| Multiple Choice - Quiz | 9 | Punctuate The Text And Add Capitals | 21 |
| Role Play | 10 | Put A Slash (/) Where The Spaces Are | 22 |
| After Reading / Listening | 11 | Free Writing | 23 |
| Student Survey | 12 | Academic Writing | 24 |
| Discussion (20 Questions) | 13 | Homework | 25 |
| | | Answers | 26 |

Please try Levels 4 and 5 (they are easier).

Twitter



twitter.com/SeanBanville

Facebook



www.facebook.com/pages/BreakingNewsEnglish/155625444452176

Google +



https://plus.google.com/+SeanBanville

THE ARTICLE

From http://www.BreakingNewsEnglish.com/1601/160118-mental-illness.html

Britain's National Health Service (NHS) suggests that up to half of adults have suffered from some form of mental illness at some stage in their life. Data from the Health Survey for England reveals that 25 per cent of all adults have been diagnosed with a mental health problem, while a further 18 per cent believe they have suffered from one but have not seen a doctor for diagnosis. Mental health expert Andy Bell said more needed to be done for people to get the help they need. Mr Bell said: "[These] figures are another wake-up call for the NHS to ensure that mental health support is available for people who need it when they need it. Timely access to effective mental health treatment saves lives."

Researchers questioned 5,000 adults about their experiences. They found that 26 per cent of people said they had received a mental health illness diagnosis. According to the survey, depression was the most common form of mental illness, with 19 per cent of people saying they had suffered from the condition. Women are more likely to suffer from mental health problems than men. Over 40 per cent of middle-aged women have been diagnosed with an illness at some point in their life. A spokeswoman from the mental health charity Sane bemoaned the survey's findings. She said: "These are shocking figures...because the scale of mental illness is already known but too often ignored."

Sources: http://www.telegraph.co.uk/news/nhs/12101811/Almost-half-of-adults-have-suffered-mental-

illness-NHS-stats-suggest.html

http://www.bbc.com/news/uk-35322354

http://www.mirror.co.uk/lifestyle/health/one-four-diagnosed-mental-illness-7187621

WARM-UPS

- **1. MENTAL HEALTH:** Students walk around the class and talk to other students about mental health. Change partners often and share your findings.
- **2. CHAT:** In pairs / groups, talk about these topics or words from the article. What will the article say about them? What can you say about these words and your life?

health service / suffered / mental illness / diagnosed / expert / wake-up call / effective / researchers / experiences / depression / middle-aged / charity / survey / shocking

Have a chat about the topics you liked. Change topics and partners frequently.

3. MENTAL ILLNESSES: What do you know about these illnesses and what can be done about them? Complete this table with your partner(s). Change partners often and share what you wrote.

| | What I know | What to do |
|--|-------------|------------|
| Depression | | |
| Schizophrenia | | |
| Paranoia | | |
| Bulimia | | |
| Obsessive Compulsive Disorder (OCD) | | |
| Post-Traumatic Stress Disorder (PTSD) | | |

- **4. IMPORTANT:** Students A **strongly** believe mental health is more important than physical health; Students B **strongly** believe the opposite. Change partners again and talk about your conversations.
- **5. HELP:** Rank these with your partner. Put the best ways of helping people with a mental illness at the top. Change partners often and share your rankings.

medicine

• talking about the problem

education

• join a support group

friendship

therapy

exercise

• lifestyle changes

6. HEALTH: Spend one minute writing down all of the different words you associate with the word "health". Share your words with your partner(s) and talk about them. Together, put the words into different categories.

BEFORE READING / LISTENING

From http://www.BreakingNewsEnglish.com/1601/160118-mental-illness.html

1. TRUE / FALSE: Read the headline. Guess if a-h below are true (T) or false (F).

| a. | Britain's health service said half of British people are mentally ill. | T / F |
|----|--|-------|
| b. | Most people in Britain have had an undiagnosed mental illness. | T / F |
| c. | A mental health expert said people needed to wake up. | T / F |
| d. | Effective mental health treatment saves people's lives. | T / F |
| e. | Researchers surveyed 5,000 in a survey on mental health. | T / F |
| f. | The most common mental health problem in Britain is depression. | T / F |
| g. | Men in Britain suffer more mental health problems than women. | T / F |
| h. | A charity worker said mental health issues are often ignored. | T / F |

2. SYNONYM MATCH: Match the following synonyms from the article.

| 1. | reveals | a. | period |
|-----|------------|----|-------------|
| 2 | stage | b. | care |
| 3. | form | C. | illness |
| 4. | available | d. | shows |
| 5. | treatment | e. | disregarded |
| 6. | questioned | f. | kind |
| 7. | common | g. | lamented |
| 8. | condition | h. | asked |
| 9. | bemoaned | i. | accessible |
| 10. | ignored | j. | prevalent |

3. PHRASE MATCH: (Sometimes more than one choice is possible.)

como form

| 1. | Some form | a. | COMMINION TOTAL |
|-----|-----------------------------------|----|------------------------|
| 2 | seen a doctor for | b. | done for people |
| 3. | more needed to be | c. | for people who need it |
| 4. | support is available | d. | aged women |
| 5. | effective mental health treatment | e. | charity |
| 6. | Researchers questioned | f. | of mental illness |
| 7. | depression was the most | g. | in their life |
| 8. | 40 per cent of middle- | h. | 5,000 adults |
| 9. | at some point | i. | saves lives |
| 10. | mental health | j. | diagnosis |

common form

GAP FILL

| Britain's National Health Service (NHS) suggests that | done |
|--|-------------|
| (1) to half of adults have suffered from some | suffered |
| (2) of mental illness at some stage in their life. | form |
| Data from the Health Survey for England reveals that 25 per cent | |
| of all adults have been (3) with a mental health | available |
| problem, while a further 18 per cent believe they have | ир |
| (4) from one but have not seen a doctor for | saves |
| diagnosis. Mental health expert Andy Bell said more needed to be | diagnosed |
| (5) for people to get the help they need. Mr Bell | figures |
| said: "[These] (6) are another wake-up call for the | rigures |
| NHS to ensure that mental health support is (7) | |
| for people who need it when they need it. Timely access to | |
| effective mental health treatment (8) lives." | |
| | |
| Researchers questioned 5,000 adults about their | diagnosis |
| (9) They found that 26 per cent of people said | likely |
| they had received a mental health illness (10) | ovnorioncos |
| According to the survey, depression was the most | experiences |
| (11) form of mental illness, with 19 per cent of | findings |
| people saying they had suffered from the (12) | condition |
| Women are more (13) to suffer from mental health | ignored |
| problems than men. Over 40 per cent of middle-aged women have | common |
| been diagnosed with an illness at some (14) in | |
| their life. A spokeswoman from the mental health charity Sane | point |
| bemoaned the survey's (15) She said: "These are | |
| shocking figuresbecause the scale of mental illness is already | |
| known but too often (16)" | |

LISTENING — Guess the answers. Listen to check.

| 1) | half of adults have suffered from some form of mental illness at some stage a. at their life b. in their life c. on their life d. by their life |
|-----|--|
| 2) | a further 18 per cent believe they have suffered from one but have not seen a a. doctor from diagnosis b. doctor four diagnosis c. doctor fore diagnosis d. doctor for diagnosis |
| 3) | Mental health expert Andy Bell said more needed to be done for people to get the a. helping they need b. helps they need c. help they need d. helped they need |
| 4) | ensure that mental health support is available for people who need it when a. they needing it b. they kneed it c. they knead it d. they need it |
| 5) | Timely access to effective mental health treatment a. saves life b. saves lives c. saves livings d. saves leaves |
| 6) | They found that 26 per cent of people said they had received a mental health a. illness diagnosis b. illness diagnostic c. illness die agnostic d. illness dye agnostic |
| 7) | According to the survey, depression was the most common illness a. from of mental b. form of mental c. firm of mental d. farm of mental |
| 8) | Women are more likely to suffer from mental health a. problems that men b. problems than men c. problems then men d. problems them men |
| 9) | 40 per cent of middle-aged women have been diagnosed with an illness at some point a. on their life b. in their life c. and there life d. in there life |
| 10) | the scale of mental illness is already known but a. to often ignore b. too often ignore c. to often ignore d. too often ignored |

LISTENING – Listen and fill in the gaps

| Britain's National Health Service (NHS) suggests (1) |
|---|
| of adults have suffered from some form of mental illness |
| (2) their life. Data from the Health Survey for |
| England reveals that 25 per cent of all adults have been |
| (3) a mental health problem, while a further 18 per |
| cent believe they have suffered from one but have not seen a doctor for |
| diagnosis. Mental health expert Andy Bell said more needed |
| (4) people to get the help they need. Mr Bell said: |
| "[These] figures are another wake-up call for the NHS |
| (5) mental health support is available for people |
| who need it when they need it. Timely access to effective mental health |
| (6)" |
| Researchers questioned 5,000 (7) experiences. |
| They found that 26 per cent of people said they had received a mental |
| health illness diagnosis. (8) survey, depression was |
| the most common form of mental illness, with 19 per cent of people saying |
| they (9) the condition. Women are more likely to |
| suffer from mental health problems than men. Over 40 per cent of middle- |
| aged women have been diagnosed with (10) some |
| point in their life. A spokeswoman from the mental health charity Sane |
| bemoaned the survey's findings. She said: "These |
| (11)because the scale of mental illness is already |
| known but (12) ." |

COMPREHENSION QUESTIONS

| 1. | What did the NHS say up to half of adults have suffered from? |
|-----|---|
| 2. | What percentage of adults was found to have had a mental illness? |
| 3. | How many people in the survey think they had undiagnosed illnesses? |
| 4. | What kind of call did Andy Bell say the survey was? |
| 5. | What does the article say timely access to treatment saves? |
| 6. | How many participants were there in the survey? |
| 7. | What was the most common mental illness? |
| 8. | What percentage of middle-aged women have had mental illnesses? |
| 9. | What mental health charity was mentioned at the end of the article? |
| 10. | How did a charity spokeswoman describe the figures in the survey? |

MULTIPLE CHOICE - QUIZ

| 1. | What did Britain's health service say up to half of adults have suffered from? | 6. | How many participants were there in the survey? |
|----|--|-----|---|
| | a) fatigue | | a) just over 5,000 |
| | b) a computer virus | | b) 5,000 |
| | c) mental illness | | c) lightly below 5,000 |
| | d) depression | | d) about 5,000 |
| 2. | What percentage of adults was found to have had a mental illness? | 7. | What was the most common mental illness? |
| | a) 25% | | a) insomnia |
| | b) 18% | | b) schizophrenia |
| | c) 40% | | c) paranoia |
| | d) 50% | | d) depression |
| 3. | How many people in the survey think they had undiagnosed illnesses? | 8. | What percentage of middle-aged women have had mental illnesses? |
| | a) 17% | | a) around 40% |
| | b) 16% | | b) over 40% |
| | c) 19% | | c) just under 40% |
| | d) 18% | | d) exactly 40% |
| 4. | What kind of call did Andy Bell say the survey was? | 9. | What mental health charity was mentioned at the end of the article? |
| | a) a curtain call | | a) Sane |
| | b) a wake-up call | | b) Mind |
| | c) a close call | | c) Level |
| | d) a hoax call | | d) Calm |
| 5. | What does the article say timely access to treatment saves? | 10. | How did a charity spokeswoman describe the figures in the survey? |
| | a) time | | a) salutary |
| | b) electricity | | b) sobering |
| | c) lives | | c) surprising |
| | d) money | | d) shocking |
| | | | |

ROLE PLAY

From http://www.BreakingNewsEnglish.com/1601/160118-mental-illness.html

Role A - Medicine

You think medicine is the best way to help someone with a mental health problem. Tell the others three reasons why. Tell them why their ways aren't so good. Also, tell the others which is the least effective of these (and why): exercise, therapy or a lifestyle change.

Role B - Exercise

You think exercise is the best way to help someone with a mental health problem. Tell the others three reasons why. Tell them why their ways aren't so good. Also, tell the others which is the least effective of these (and why): medicine, therapy or a lifestyle change.

Role C - Therapy

You think therapy is the best way to help someone with a mental health problem. Tell the others three reasons why. Tell them why their ways aren't so good. Also, tell the others which is the least effective of these (and why): exercise, medicine or a lifestyle change.

Role D – Lifestyle change

You think a lifestyle change is the best way to help someone with a mental health problem. Tell the others three reasons why. Tell them why their ways aren't so good. Also, tell the others which is the least effective of these (and why): exercise, therapy or medicine.

AFTER READING / LISTENING

From http://www.BreakingNewsEnglish.com/1601/160118-mental-illness.html

1. WORD SEARCH: Look in your dictionary / computer to find collocates, other meanings, information, synonyms ... for the words 'mental' and 'health'.

| mental | health |
|--------|--------|
| | |
| | |
| | |

- Share your findings with your partners.
- Make questions using the words you found.
- Ask your partner / group your questions.
- **2. ARTICLE QUESTIONS:** Look back at the article and write down some questions you would like to ask the class about the text.
 - Share your questions with other classmates / groups.
 - Ask your partner / group your questions.
- **3. GAP FILL:** In pairs / groups, compare your answers to this exercise. Check your answers. Talk about the words from the activity. Were they new, interesting, worth learning...?
- **4. VOCABULARY:** Circle any words you do not understand. In groups, pool unknown words and use dictionaries to find their meanings.
- **5. TEST EACH OTHER:** Look at the words below. With your partner, try to recall how they were used in the text:

| • up | • 5,000 |
|---------|-----------|
| • stage | • 26 |
| • 18 | • 19 |
| • done | • 40 |
| • wake | charity |
| • save | • often ´ |

MENTAL ILLNESS SURVEY

From http://www.BreakingNewsEnglish.com/1601/160118-mental-illness.html

Write five GOOD questions about mental illness in the table. Do this in pairs. Each student must write the questions on his / her own paper.

When you have finished, interview other students. Write down their answers.

| | STUDENT 1 | STUDENT 2 | STUDENT 3 |
|------|-----------|-----------|-----------|
| Q.1. | | | |
| Q.2. | | | |
| Q.3. | | | |
| Q.4. | | | |
| Q.5. | | | |

- Now return to your original partner and share and talk about what you found out. Change partners often.
- Make mini-presentations to other groups on your findings.

MENTAL ILLNESS DISCUSSION

STUDENT A's QUESTIONS (Do not show these to student B)

- 1) What did you think when you read the headline?
- 2) What springs to mind when you hear the term 'mental health'?
- 3) What do you think about what you read?
- 4) Do you ever worry about your mental health?
- 5) Should more money be spent helping people with mental health problems?
- 6) What mental health conditions do you know about?
- 7) How can we stay healthy mentally?
- 8) How does depression affect people's lives?
- 9) How do you know if you have a mental illness?
- 10) "Mental health needs a great deal of attention. It's the final taboo and it needs to be faced and dealt with." (Adam Ant) What do you think?

Up to half of adults suffer from mental illness – 18th January, 2016 More free lessons at www.BreakingNewsEnglish.com

MENTAL ILLNESS DISCUSSION

STUDENT B's QUESTIONS (Do not show these to student A)

- 11) Did you like reading this article? Why/not?
- 12) Why do governments ignore mental health?
- 13) How serious are mental health issues?
- 14) Why are women more likely to develop mental health problems?
- 15) What everyday things can affect our mental health?
- 16) Why are older people more likely to develop mental health problems?
- 17) What is the care like for people with mental health in your country?
- 18) How would improving mental health care improve a country?
- 19) Mental health is often missing from public health debates even though it's critical to wellbeing. (Diane Abbott) What do you think?
- 20) What questions would you like to ask a mental health expert?

DISCUSSION (Write your own questions)

STUDENT A's QUESTIONS (Do not show these to student B)

| 2. | |
|-------------------------------|---|
| ۷. | |
| 3. | |
| 4. | |
| 5. | |
| 6. | |
| | ght © www.BreakingNewsEnglish.com 2016 |
| | |
| | |
| | SCUSSION (Write your own questions) DENT B's QUESTIONS (Do not show these to student A) |
| <u>STUI</u> | |
| <u>STUI</u> | |
| <u>STUI</u> 1. | |
| <u>STUI</u> 1. 2. | |
| <u>STUI</u> 1. 2. 3. | |
| STUI 1. 2. 3. 4. | |
| | |

LANGUAGE - CLOZE

| Britain's National Health Service (NHS) suggests that (1) to half of adults have suffered from some form of mental illness at some stage (2) their life. Data from the Health Survey for England reveals that 25 per cent of all adults have been diagnosed with a mental health problem, while a (3) 18 per cent believe they have suffered from one but have not seen a doctor for diagnosis. Mental health expert Andy Bell said more needed to be (4) for people to get the help they need. Mr Bell said: "[These] figures are another (5)up call for the NHS to ensure that mental health support is available for people who need it when they | | | | | | | | |
|--|----------|-----------------------------------|---------|-----------------|--------|----------------|---------|--------------|
| need | 1 it. (6 | 5) access | to effe | ective mental I | nealth | treatment sa | ves liv | es." |
| | | ers questioned | | | | | | |
| - | | of people said | - | | | | | |
| | _ | to the survey, er cent of peop | - | | | | | |
| | | to suffer | • | | | | | |
| | | -aged women h | | | - | | | - |
| their | · life. | A spokeswom | an fro | om the menta | al hea | olth charity S | Sane (| 11) the |
| | - | findings. She | | | | | ecause | the scale of |
| men | tal illr | ness is already | known | but too (12) | | ignored." | | |
| Put | the c | orrect words | from | the table bel | ow in | the above a | rticle | |
| 1. | (a) | high | (b) | up | (c) | rise | (d) | above |
| 2. | (a) | on | (b) | to | (c) | as | (d) | in |
| 3. | (a) | more | (b) | further | (c) | additional | (d) | extra |
| 4. | (a) | did | (b) | doing | (c) | done | (d) | does |
| 5. | (a) | wake | (b) | woke | (c) | waken | (d) | waking |
| 6. | (a) | Timely | (b) | Timed | (c) | Times | (d) | Timeline |
| 7. | (a) | diagonals | (b) | diagnostics | (c) | diagnostic | (d) | diagnosis |
| 8. | (a) | commonly | (b) | commoner | (c) | common | (d) | commonest |
| 9. | (a) | like | (b) | liking | (c) | likable | (d) | likely |
| 10. | (a) | spot | (b) | tip | (c) | sharp | (d) | point |
| 11. | (a) | bemoaned | (b) | demoted | (c) | repealed | (d) | preordered |
| 12. | (a) | many | (b) | regular | (c) | often | (d) | really |

SPELLING

From http://www.BreakingNewsEnglish.com/1601/160118-mental-illness.html

Paragraph 1

- 1. eerusffd from some form of mental illness
- 2. 25 per cent of all adults have been <u>adogsndie</u>
- 3. Mental health pxeret
- 4. <u>baevlaali</u> for people who need it
- 5. timely access to fitvfeeec...
- 6. mental health teaetnmtr saves lives

Paragraph 2

- 7. <u>esrehrrecas</u> questioned 5,000 adults
- 8. <u>odicgrnca</u> to the survey
- 9. <u>rdenopessi</u> was the most common form
- 10. the mental health ychairt
- 11. These are shocking gsriufe
- 12. too often genirdo

PUT THE TEXT BACK TOGETHER

From http://www.BreakingNewsEnglish.com/1601/160118-mental-illness.html

Number these lines in the correct order.

| (|) | form of mental illness, with 19 per cent of people saying they had suffered from the condition. Women are more |
|---|-----|--|
| (|) | aged women have been diagnosed with an illness at some point in their life. A spokeswoman from the mental health |
| (| 1) | Britain's National Health Service (NHS) suggests that up to half of adults have suffered from some form of mental illness at |
| (|) | one but have not seen a doctor for diagnosis. Mental health expert Andy Bell said more needed to be done |
| (|) | up call for the NHS to ensure that mental health support is available for people |
| (|) | likely to suffer from mental health problems than men. Over 40 per cent of middle- |
| (|) | who need it when they need it. Timely access to effective mental health treatment saves lives." |
| (|) | received a mental health illness diagnosis. According to the survey, depression was the most common |
| (|) | charity Sane bemoaned the survey's findings. She said: "These are shocking |
| (|) | for people to get the help they need. Mr Bell said: "[These] figures are another wake- |
| (|) | diagnosed with a mental health problem, while a further 18 per cent believe they have suffered from |
| (|) | Researchers questioned 5,000 adults about their experiences. They found that 26 per cent of people said they had |
| (|) | some stage in their life. Data from the Health Survey for England reveals that 25 per cent of all adults have been |
| (|) | figuresbecause the scale of mental illness is already known but too often ignored." |

PUT THE WORDS IN THE RIGHT ORDER

From http://www.BreakingNewsEnglish.com/1601/160118-mental-illness.html

| 1. | from some form Up to half of adults have suffered . |
|-----|---|
| 2. | get to people for done be to needed More help the . |
| 3. | NHS the for call up - wake another are figures These . |
| 4. | it Available for people who need it when they need . |
| 5. | to saves effective lives mental health Access treatment . |
| 6. | that found They had they said people of cent per 26 . |
| 7. | form illness was common mental Depression most of the . |
| 8. | to suffer from mental health problems Women are more likely . |
| 9. | life Diagnosed with an illness at some point in their . |
| 10. | is scale already of known mental illness The . |

CIRCLE THE CORRECT WORD (20 PAIRS)

From http://www.BreakingNewsEnglish.com/1601/160118-mental-illness.html

Britain's National Health Service (NHS) suggests / suggesting that up to half of adults have suffered from some firm / form of mental illness at some stage in their life / live. Data from the Health Survey for England reveals that 25 per cent of all adults have been diagnosis / diagnosed with a mental health problem, while a further / farther 18 per cent believe they have suffered from one but have not seen / seeing a doctor for diagnosis. Mental health expert Andy Bell said more needed to be done / doing for people to get the help they need. Mr Bell said: "[These] figures / figure are another wake-up call for the NHS to ensure that mental health support is available / availability for people who need it when they need it. Timely excess / access to effective mental health treatment saves lives."

Researchers questioned 5,000 adults about their experienced / experiences. They found that 26 per cent of people said they had received / receiving a mental health illness diagnosis. According by / to the survey, depression was the most common form of mental illness, with 19 per cent of people saying they had suffered from / as the condition. Women are more liked / likely to suffer from mental health problems than / over men. Over 40 per cent of middle-aged women have been diagnosed with an illness at same / some point in their life. A spokeswoman from the mental health charity Sane bemoaned / moaned the survey's findings / finds. She said: "These are shocking figures...because the scale of mental illness is already known but too often ignores / ignored."

Talk about the connection between each pair of words in italics, and why the correct word is correct.

INSERT THE VOWELS (a, e, i, o, u)

From http://www.BreakingNewsEnglish.com/1601/160118-mental-illness.html

Br_t__n's N_t__n_I H__Ith S_rv_c_ (NHS) s_gg_sts th_t _p t_ h_If _f _d_Its h_v_ s_ff_r_d fr_m s_m_ f_rm _f m_nt_I _IIn_ss_t s_m_ st_g_ _n th__r I_f_. D_t_ fr_m th_ H__Ith S_rv_y f_r _ngl_nd r_v__Is th_t 25 p_r c_nt_ f_II _d_Its h_v_ b__n d__gn_s_d w_th _ m_nt_I h__Ith pr_bl_m, wh_I_ _ f_rth_r 18 p_r c_nt b_I__v_ th_y h_v_ s_ff_r_d fr_m _n_ b_t h_v_ n_t s_n _ d_ct_r f_r d__gn_s_s. M_nt_I h__Ith _xp_rt _ndy B_II s__d m_r_ n__d_d t_ b__d_n_ f_r p__pl_ t_ g_t th_h_Ip th_y n__d. Mr B_II s__d: "[Th_s_] f_gr_s _r_ _n_th_r w_k_-p c_II f_r th_ NHS t__ns_r_ th_t m_nt_I h__Ith s_pp_rt_s _v__I bl_ f_r p__pl_ wh_ n__d_t wh_n th_y n__d_t. T_m_Iy _cc_ss t__ff_ct_v_ m_nt_I h__Ith tr__tm_nt s_v_s I_v_s."

R_s__rch_rs q__st__n_d 5,000 _d_lts _b__t th__r _xp_r__nc_s. Th_y f__nd th_t 26 p_r c_nt _f p__pl_ s__d th_y h_d r_c__v_d _ m__nt_l h__lth _lln_ss d__gn_s_s. _cc_rd_ng t_ th_ s_rv_y, d_pr_ss__n w_s th_ m_st c_mm_n f_rm _f m_nt_l _lln_ss, w_th 19 p_r c_nt _f p__pl_ s_y_ng th_y h_d s_ff_r_d fr_m th_ c_nd_t__n. W_m_n _r_ m_r_ l_k_ly t_ s_ff_r fr_m m_nt_l h__lth pr_bl_ms th_n m_n. _v_r 40 p_r c_nt _f m_ddl_-g_d w_m_n h_v_ b__n d__gn_s_d w_th _n _lln_ss_t s_m_ p__nt_n th__r l_f. _ sp_k_sw_m_n fr_m th__ m_nt_l h__lth ch_r_ty S_n_ b_m__n_d th__ s_rv_y's f_nd_ngs. Sh__ s__d: "Th_s__ _r_ sh_ck_ng f_g_r_s...b_c__s_ th__ sc_l_ _f m_nt_l _lln_ss__s

PUNCTUATE THE TEXT AND ADD CAPITALS

From http://www.BreakingNewsEnglish.com/1601/160118-mental-illness.html

britain's national health service (nhs) suggests that up to half of adults have suffered from some form of mental illness at some stage in their life data from the health survey for england reveals that 25 per cent of all adults have been diagnosed with a mental health problem while a further 18 per cent believe they have suffered from one but have not seen a doctor for diagnosis mental health expert andy bell said more needed to be done for people to get the help they need mr bell said "[these] figures are another wake-up call for the nhs to ensure that mental health support is available for people who need it when they need it timely access to effective mental health treatment saves lives"

researchers questioned 5000 adults about their experiences they found that 26 per cent of people said they had received a mental health illness diagnosis according to the survey depression was the most common form of mental illness with 19 per cent of people saying they had suffered from the condition women are more likely to suffer from mental health problems than men over 40 per cent of middle-aged women have been diagnosed with an illness at some point in their life a spokeswoman from the mental health charity sane bemoaned the survey's findings she said "these are shocking figures...because the scale of mental illness is already known but too often ignored"

PUT A SLASH (/) WHERE THE SPACES ARE

From http://www.BreakingNewsEnglish.com/1601/160118-mental-illness.html

Britain's National Health Service (NHS) suggests that up to half of a dults havesufferedfromsomeformofmentalillnessatsomestageintheirlife. DatafromtheHealthSurveyforEnglandrevealsthat25percentofalladu Itshavebeendiagnosedwithamentalhealthproblem, whileafurther 18 percentbelievetheyhavesufferedfromonebuthavenotseenadoctorfo rdiagnosis. MentalhealthexpertAndyBellsaidmoreneededtobedonef orpeopletogetthehelptheyneed.MrBellsaid:"[These]figuresareanot herwake-upcallfortheNHStoensurethatmentalhealthsupportisavaila bleforpeoplewhoneeditwhentheyneedit. Timelyaccess to effective me ntalhealthtreatmentsaveslives."Researchersquestioned5,000adult sabouttheir experiences. They found that 26 percent of peoples aid they hadreceivedamentalhealthillnessdiagnosis. According to the survey, d epressionwasthemostcommonformofmentalillness, with 19 percento fpeoplesayingtheyhadsufferedfromthecondition. Womenaremorelik elytosufferfrommentalhealthproblemsthanmen.Over40percentofm iddle-agedwomenhavebeendiagnosedwithanillnessatsomepointint heirlife. Aspokes woman from the mental health charity Sanebemoaned thesurvey's findings. Shesaid: "These are shocking figures... because the escaleofmentalillnessisalreadyknownbuttoooftenignored."

FREE WRITING

| Write about men | tal illness for 1 | 0 minutes. C | comment on y | our partner's | s paper. |
|------------------------|--------------------------|--------------|--------------|---------------|----------|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

ACADEMIC WRITING

From http://www.BreakingNewsEnglish.com/1601/160118-mental-illness.html

| People should stop treating mental health as a taboo subject. Discuss. | | | | | |
|--|--|--|--|--|--|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

HOMEWORK

- **1. VOCABULARY EXTENSION:** Choose several of the words from the text. Use a dictionary or Google's search field (or another search engine) to build up more associations / collocations of each word.
- **2. INTERNET:** Search the Internet and find out more about mental illness. Share what you discover with your partner(s) in the next lesson.
- **3. MENTAL ILLNESS:** Make a poster about treatment for mental illnesses. Show your work to your classmates in the next lesson. Did you all have similar things?
- **4. DEPRESSION:** Write a magazine article about depression. Include imaginary interviews with people who suffer from depression and from mental health experts.

Read what you wrote to your classmates in the next lesson. Write down any new words and expressions you hear from your partner(s).

- **5. WHAT HAPPENED NEXT?** Write a newspaper article about the next stage in this news story. Read what you wrote to your classmates in the next lesson. Give each other feedback on your articles.
- **6. LETTER:** Write a letter to an expert on mental health. Ask him/her three questions about mental illness. Give him/her three ideas on how to help people. Read your letter to your partner(s) in your next lesson. Your partner(s) will answer your questions.

ANSWERS

TRUE / FALSE (p.4)

a F b F c F d T e T f T g F h T

SYNONYM MATCH (p.4)

- 1. reveals
- 2 stage
- 3. form
- 4. available
- 5. treatment
- 6. questioned
- 7. common
- 8. condition
- 9. bemoaned
- 10. ignored

- a. shows
- b. period
- c. kind
- d. accessible
- e. care
- f. asked
- q. prevalent
- h. illness
- i. lamented
- j. disregarded

COMPREHENSION QUESTIONS (p.8)

- A mental illness
- 2. 25%
- 3. 18%
- 4. A wake-up call
- 5. Lives
- 6. 5,000
- 7. Depression
- 8. Over 40%
- 9. Sane
- 10. Shocking

MULTIPLE CHOICE - QUIZ (p.9)

1. c 2. a 3. d 4. b 5. c 6. d 7. b 8. d 9. a 10. d

ALL OTHER EXERCISES

Please check for yourself by looking at the Article on page 2. (It's good for your English ;-)