www.Breaking News English.com

Ready-to-Use English Lessons by Sean Banville

"1,000 IDEAS & ACTIVITIES FOR LANGUAGE TEACHERS"

www.breakingnewsenglish.com/book.html

Thousands more free lessons from Sean's other websites

www.freeeslmaterials.com/sean banville lessons.html

Level 3

Loneliness is becoming a big danger to health 8th August, 2017

http://www.breakingnewsenglish.com/1708/170808-loneliness.html

Contents

The Article	2	Discussion (Student-Created Qs)	14
Warm-Ups	3	Language Work (Cloze)	15
Before Reading / Listening	4	Spelling	16
Gap Fill	5	Put The Text Back Together	17
Match The Sentences And Listen	6	Put The Words In The Right Order	18
Listening Gap Fill	7	Circle The Correct Word	19
Comprehension Questions	8	Insert The Vowels (a, e, i, o, u)	20
Multiple Choice - Quiz	9	Punctuate The Text And Add Capitals	21
Role Play	10	Put A Slash (/) Where The Spaces Are	22
After Reading / Listening	11	Free Writing	23
Student Survey	12	Academic Writing	24
Discussion (20 Questions)	13	Homework	25
		Answers	26

Please try Levels 0, 1 and 2 (they are easier).

Twitter



twitter.com/SeanBanville

Facebook



www.facebook.com/pages/BreakingNewsEnglish/155625444452176

Google +



https://plus.google.com/+SeanBanville

THE ARTICLE

From http://www.BreakingNewsEnglish.com/1708/170808-loneliness.html

New research suggests that loneliness and social isolation may increase the risk of dying early by 50 per cent. The research is from Brigham Young University in the USA. Researchers tried to find out how loneliness affected the risk of early death. They said loneliness can occur even if people are surrounded by family and friends. Researchers also looked at the dangers to health of social isolation. This is when people have little or no contact with others. The research showed that the risk of premature death was 50 per cent lower for adults who mixed with friends and family. Researchers found that loneliness, social isolation, and living alone were all associated with an increased risk of early death.

The researchers added that loneliness, social isolation, and living alone could be more dangerous than obesity. Professor Julianne Holt-Lunstad said the results of her research are worrying because the population is aging. She said: "Many nations around the world now suggest we are facing a 'loneliness epidemic'. The challenge we face now is what can be done about it." She suggested that one way to help with this problem is to teach social skills to children in schools. She also said doctors should talk more about loneliness to their patients. In addition, she said people should prepare for their old age social life like they take out pensions to prepare for their financial future.

Sources: http://www.**medicalnewstoday.com**/articles/318723.php

https://psychcentral.com/news/2017/08/06/loneliness-epidemic-growing-into-biggest-threat-biggest-threat-to-biggest-threat-biggest-threat-biggest-threat-biggest-threat-biggest-threat-biggest-threat-biggest-threat-biggest-threat-biggest-threat-biggest-threat-biggest-threat-biggest-threat-biggest-threat-biggest-b

public-health/124226.html

http://www.telegraph.co.uk/science/2017/08/06/loneliness-deadlier-obesity-study-suggests/

WARM-UPS

- **1. LONELINESS:** Students walk around the class and talk to other students about loneliness. Change partners often and share your findings.
- **2. CHAT:** In pairs / groups, talk about these topics or words from the article. What will the article say about them? What can you say about these words and your life?

research / isolation / dying / loneliness / surrounded / contact / risk / living alone / dangerous / obesity / aging / epidemic / social skills / patients / old age / pension

Have a chat about the topics you liked. Change topics and partners frequently.

- **3. SOCIAL SKILLS** A **strongly** believe all children should learn social skills to avoid loneliness later in life; Students B **strongly** believe the opposite. Change partners again and talk about your conversations.
- **4. ADVICE:** What advice would you give these people who are lonely? Complete this table with your partner(s). Change partners often and share what you wrote.

	Why they might be lonely	Advice
A schoolchild		
A teenager		
A newlywed		
A business person		
A rock star		
An old person		

- **5. SOCIAL:** Spend one minute writing down all of the different words you associate with the word "social". Share your words with your partner(s) and talk about them. Together, put the words into different categories.
- **6. HELP:** Rank these with your partner. Put the people who can best help others with loneliness at the top. Change partners often and share your rankings.

family

doctors

neighbours

local community

friends

co-workers

social media

yourself

BEFORE READING / LISTENING

From http://www.BreakingNewsEnglish.com/1708/170808-loneliness.html

1. TRUE / FALSE: Read the headline. Guess if a-h below are true (T) or false (F).

- a. Research suggests loneliness raises the risk of an early death by 50%. T / F
- b. Research says people are not lonely when with family and friends. **T/F**
- d. Researchers said living alone did not lead to loneliness. T / F
- f. Many countries suggested there was a loneliness epidemic. T / F
- g. A professor said doctors should talk to patients about loneliness. T / F
- h. The professor said a pension would help with loneliness in our old age. T / F

2. SYNONYM MATCH:

Match the following synonyms. The words in **bold** are from the news article.

- 1. suggests
- 2. risk
- 3. occur
- 4. premature
- 5. associated
- 6. dangerous
- 7. worrying
- 8. challenge
- 9. in addition
- 10. prepare

- a. hazardous
- b. happen
- c. get ready
- d. related
- e. problem
- f. shows
- g. furthermore
- h. untimely
- i. chance
- j. concerning

3. PHRASE MATCH: (Sometimes more than one choice is possible.)

- 1. increase the risk of dying early
- 2. surrounded
- 3. the dangers to health
- 4. the risk of premature
- 5. associated with an increased
- 6. could be more dangerous
- 7. the results of her research
- 8. we are facing a
- 9. doctors should talk more about loneliness
- 10. they take out pensions to prepare

- a. are worrying
- b. death
- c. to their patients
- d. than obesity
- e. of social isolation
- f. by 50 per cent
- g. for their financial future
- h. risk of early death
- i. 'loneliness epidemic'
- j. by family

GAP FILL

New research (1) that loneliness and social	early
isolation may increase the risk of dying (2) by 50	lower
per cent. The research is from Brigham Young University in the	found
USA. Researchers tried to find out how loneliness	curroundos
(3) the risk of early death. They said loneliness	surrounded
can occur even if people are (4) by family and	suggests
friends. Researchers also looked at the dangers to health of social	alone
isolation. This is when people have (5) or no	affected
contact with others. The research showed that the risk of	little
premature death was 50 per cent (6) for adults	IICIC
who mixed with friends and family. Researchers	
(7) that loneliness, social isolation, and living	
(8) were all associated with an increased risk of	
early death.	
The researchers added that loneliness, social isolation, and living	facing
alone could be more dangerous than (9) Professor	skills
Julianne Holt-Lunstad said the (10) of her research	future
are worrying because the population is aging. She said: "Many	
nations around the world now suggest we are (11)	obesity
a 'loneliness epidemic'. The challenge we face now is what can be	age
(12) about it." She suggested that one way to help	done
with this problem is to teach social (13) to children	patients
in schools. She also said doctors should talk more about loneliness	results
to their (14) In addition, she said people should	resuits
prepare for their old (15) social life like they take	
out pensions to prepare for their financial (16)	

LISTENING – Guess the answers. Listen to check.

From http://www.BreakingNewsEnglish.com/1708/170808-loneliness.html

1)	res	earch suggests that loneliness and social isolation may increase the risk
	a.	of dye in early
		of die in early
		of dying early
	d.	of drying early
2)	fin	d out how loneliness affected the risk
	a.	off early death
		of early death
		from early death
	d.	over early death
3)		ey said loneliness can occur even if people are family
		surrounded by
		surrounded buy
		surround it by
		surrounding by
4)		e research showed that the risk of premature death
		was 50% low a
		was 50% lowlier
		was 50% allow a
_\		was 50% lower
5)		neliness, social isolation, and living alone were all associated risk
		with an un-creased with an on creased
		with an in creased
		with an increased
6)		cial isolation, and living alone could be more dangerous
0)		that obese city
		than obesity
		them obesity
		than obese city
7)		e results of her research are worrying because the
• ,		population is age in
		population is raging
		population is age old
		population is aging
8)	Ma	any nations around the world now suggest we are facing a ''
		lonely nest epidermis
	b.	loneliest epidemic
		loneliness epidermis
	d.	loneliness epidemic
9)	Sh	e also said doctors should talk more about loneliness
		too their patients
		to their patient
		to their patients
		to their patience
10	•	ke they take out pensions to prepare for their
		financially future
		financial future
		financials future
	a.	finance all future

Loneliness is becoming a big danger to health - 8th August, 2017

LISTENING – Listen and fill in the gaps

New research suggests that loneliness (1) may
increase the (2) early by 50 per cent. The research
is from Brigham Young University in the USA. Researchers tried to find out
how loneliness affected the risk (3) They said
loneliness can occur even if people are surrounded by family and friends.
Researchers also looked at the dangers to health of social isolation. This is
when people have (4) contact with others. The
research showed that the risk of (5) was 50 per
cent lower for adults who mixed with friends and family. Researchers found
that loneliness, social isolation, and living (6)
associated with an increased risk of early death.
The researchers added that loneliness, social isolation, and living alone could
be more dangerous (7) Professor Julianne Holt-
Lunstad said the results of (8) worrying because the
population is aging. She said: "Many nations around the world now suggest
(9) 'loneliness epidemic'. The challenge we face now
is what can be done about it." She suggested that one way to help with this
problem is (10) skills to children in schools. She
also said doctors should talk more about loneliness to their patients.
(11), she said people should prepare for their old
age social life like they (12) to prepare for their
financial future.

COMPREHENSION QUESTIONS

1.	By how much could loneliness and isolation raise the risk of an early death?
2.	What is the name of the university that conducted the research?
3.	Who can lonely people be surrounded by that might surprise people?
4.	What kind of contact do people have if they are in social isolation?
5.	What increased the risk of early death besides loneliness and isolation?
6.	What did a professor say loneliness might be more dangerous than?
7.	What did the professor say was aging?
8.	What kind of epidemic did the professor talk about?
9.	What did the professor say children in schools should be taught?
10.	What did the professor say people should prepare for in their old age?

MULTIPLE CHOICE - QUIZ

From http://www.BreakingNewsEnglish.com/1708/170808-loneliness.html

- 1) By how much could loneliness and isolation raise the risk of an early death?
- a) 58%
- b) 50%
- c) 55%
- d) 47%
- 2) What is the name of the university that conducted the research?
- a) University of Notre Dame
- b) Carnegie Mellon University
- c) Massachusetts Institute of Technology
- d) Brigham Young University
- 3) Who can lonely people be surrounded by that might surprise people?
- a) family and friends
- b) strangers
- c) doctors
- d) university lecturers
- 4) What kind of contact do people have if they are in social isolation?
- a) eye contact
- b) slight contact
- c) little or no contact
- d) social contact
- 5) What increased the risk of early death besides loneliness and isolation?
- a) salt
- b) living alone
- c) crime
- d) stress

- 6) What did a professor say loneliness might be more dangerous than?
- a) socializing
- b) stress
- c) obesity
- d) contact
- 7) What did the professor say was aging?
- a) dangers
- b) social contact
- c) risk
- d) the population
- 8) What kind of epidemic did the professor talk about?
- a) a loneliness epidemic
- b) a viral epidemic
- c) a worldwide epidemic
- d) a beatable epidemic
- 9) What did the professor say children in schools should be taught?
- a) social skills
- b) loneliness studies
- c) how to be happy
- d) pensions advice
- 10) What did the professor say people should prepare for in their old age?
- a) illness
- b) their social life
- c) finances
- d) fitness

ROLE PLAY

From http://www.BreakingNewsEnglish.com/1708/170808-loneliness.html

Role A – Doctors

You think doctors are the best people to help with loneliness. Tell the others three reasons why. Tell them what is wrong with their forms of help. Also, tell the others which is the worst of these (and why): neighbours, social media or you.

Role B - Neighbours

You think neighbours are the best people to help with loneliness. Tell the others three reasons why. Tell them what is wrong with their forms of help. Also, tell the others which is the worst of these (and why): doctors, social media or you.

Role C - Social Media

You think social media is the best way to help with loneliness. Tell the others three reasons why. Tell them what is wrong with their forms of help. Also, tell the others which is the worst of these (and why): neighbours, doctors or you.

Role D - Yourself

You think you are the best people to help with loneliness. Tell the others three reasons why. Tell them what is wrong with their forms of help. Also, tell the others which is the worst of these (and why): neighbours, social media or doctors.

AFTER READING / LISTENING

From http://www.BreakingNewsEnglish.com/1708/170808-loneliness.html

1. WORD SEARCH: Look in your dictionary / computer to find collocates, other meanings, information, synonyms ... for the words 'danger' and 'health'.

danger	health

- Share your findings with your partners.
- Make questions using the words you found.
- Ask your partner / group your questions.
- **2. ARTICLE QUESTIONS:** Look back at the article and write down some questions you would like to ask the class about the text.
 - Share your questions with other classmates / groups.
 - Ask your partner / group your questions.
- **3. GAP FILL:** In pairs / groups, compare your answers to this exercise. Check your answers. Talk about the words from the activity. Were they new, interesting, worth learning...?
- **4. VOCABULARY:** Circle any words you do not understand. In groups, pool unknown words and use dictionaries to find their meanings.
- **5. TEST EACH OTHER:** Look at the words below. With your partner, try to recall how they were used in the text:

earlydyingevenlittlemixed	couldworryingnationsfacepatients
	• patients
• contact	• age

LONELINESS SURVEY

From http://www.BreakingNewsEnglish.com/1708/170808-loneliness.html

Write five GOOD questions about loneliness in the table. Do this in pairs. Each student must write the questions on his / her own paper.

When you have finished, interview other students. Write down their answers.

	STUDENT 1	STUDENT 2	STUDENT 3
Q.1.			
Q.2.			
Q.3.			
Q.4.			
Q.5.			

- Now return to your original partner and share and talk about what you found out. Change partners often.
- Make mini-presentations to other groups on your findings.

LONELINESS DISCUSSION

STUDENT A's QUESTIONS (Do not show these to student B)

- 1. What did you think when you read the headline?
- 2. What images are in your mind when you hear the word 'lonely'?
- 3. What do you think about loneliness?
- 4. How lonely do you get?
- 5. What does loneliness do to people?
- 6. How can we help people who are lonely?
- 7. What do you do when you get lonely?
- 8. How does the Internet make people lonelier?
- 9. Will we become lonelier in the future?
- 10. What should governments do to reduce loneliness?

Loneliness is becoming a big danger to health – 8th August, 2017 Thousands more free lessons at www.BreakingNewsEnglish.com

LONELINESS DISCUSSION

STUDENT B's QUESTIONS (Do not show these to student A)

- 11. Did you like reading this article? Why/not?
- 12. What do you think of when you hear the word 'alone'?
- 13. What do you think about what you read?
- 14. How would loneliness affect you?
- 15. Why might loneliness be more dangerous than obesity?
- 16. What might happen in a 'loneliness epidemic'?
- 17. What social skills should children learn about loneliness?
- 18. How can doctors help their patients with loneliness?
- 19. How could people prepare for their old-age social life?
- 20. What questions would you like to ask the researchers?

DISCUSSION (Write your own questions)

STUDENT A's QUESTIONS (Do not show these to student B)

_					
-					
_					
_					
_					
ſ	© www.BreakingNews	sEnglish.com 2017			
	CUSSION				
5		(Write	your o	vn ques	tions)
	CUSSION	(Write	your o	vn ques	tions)
	CUSSION	(Write	your o	vn ques	tions)
	CUSSION	(Write	your o	vn ques	tions)
	CUSSION	(Write	your o	vn ques	tions)
	CUSSION	(Write	your o	vn ques	tions)
	CUSSION	(Write	your o	vn ques	tions)

LANGUAGE - CLOZE

of dy the deat and This	ing (2 USA. h. The frienc is wh	arch suggests the 2) by 50 per Researchers trickly said lonelines ds. Researchers en people have 5) premature.	er ce ed to ss ca also little	nt. The researd find out how n occur (4) looked at the or no contact	th is lone if dang with	from Brigham `liness (3) people are su gers to health others. The res	Young _ the rroun of so search	g University in risk of early ded by family ocial isolation n showed that
frien	ds an	d family. Resea	arche	rs found that	lonel	iness, social is	solatio	
more (8) "Mar epide sugg in so patie	e dan ny na emic'. ested chools ents. I	rchers added the gerous than of her research a tions around to The challenge that one way to She also said in addition, she out pensions to	nesity re we he we for help doct said prepa	orrying because orld now sugnate face now is well this problem. The control of th	ulianr se the gest hat colem k (11 prepa their	ne Holt-Lunsta e population is we are (9) can be (10) is to teach soc can be their old financial future	d sai s agii a ial sk lonel d age	d the results ng. She said a 'loneliness bout it." She ills to childrer iness to their social life like
Put 1.	tne c (a)	orrect words for socially	r om (b)	socialism	(c)		ticie (d)	• socialist
2.	(a)	early	(b)	quick	(c)		(d)	before
3.	(a)	affected	(b)	effected	(c)	infected	(d)	afflicted
4.	(a)	even	(b)	ever	(c)	eventually	(d)	event
5.	(a)	at	(b)	of	(c)	by	(d)	to
6.	(a)	to	(b)	of	(c)	by	(d)	with
7.	(a)	lonely	(b)	loner	(c)	alone	(d)	lonesome
8.	(a)	by	(b)	at	(c)	for	(d)	of
9.	(a)	facing	(b)	faces	(c)	face	(d)	faced
10.	(a)	done	(b)	doing	(c)	does	(d)	do
11.	(a)	many	(b)	more	(c)	much	(d)	must
12.	(a)	at	(b)	of	(c)	for	(d)	from

SPELLING

From http://www.BreakingNewsEnglish.com/1708/170808-loneliness.html

Paragraph 1

- 1. social nlaiootis
- 2. <u>cresinae</u> the risk of dying early
- 3. <u>roudreusnd</u> by family and friends
- 4. little or no ntaocct with others
- 5. the risk of <u>umrrpteae</u> death
- 6. were all asscedoiat with an...

Paragraph 2

- 7. more dangerous than <u>iyetbso</u>
- 8. the <u>ltnaoiupop</u> is aging
- 9. we are facing a loneliness <u>cieeimpd</u>
- 10. She <u>setdgugse</u> that
- 11. they take out <u>niopssne</u>
- 12. prepare for their icnalinfa future

PUT THE TEXT BACK TOGETHER

From http://www.BreakingNewsEnglish.com/1708/170808-loneliness.html

Number these lines in the correct order.

()	no contact with others. The research showed that the risk of premature death was 50 per cent
()	for their old age social life like they take out pensions to prepare for their financial future.
()	obesity. Professor Julianne Holt-Lunstad said the results of her research are worrying because the population is
()	The researchers added that loneliness, social isolation, and living alone could be more dangerous than
()	lower for adults who mixed with friends and family. Researchers found that loneliness, social
()	isolation, and living alone were all associated with an increased risk of early death.
()	aging. She said: "Many nations around the world now suggest we are facing a 'loneliness
(1)	New research suggests that loneliness and social isolation may increase the risk of dying early
()	talk more about loneliness to their patients. In addition, she said people should prepare
()	this problem is to teach social skills to children in schools. She also said doctors should
()	family and friends. Researchers also looked at the dangers to health of social isolation. This is when people have little or
()	by 50 per cent. The research is from Brigham Young University in the USA. Researchers tried to find
()	out how loneliness affected the risk of early death. They said loneliness can occur even if people are surrounded by
()	epidemic'. The challenge we face now is what can be done about it." She suggested that one way to help with

PUT THE WORDS IN THE RIGHT ORDER

From http://www.BreakingNewsEnglish.com/1708/170808-loneliness.html

- 1. risk Social may the isolation increase 50% by early dying of .
- 2. affected of Find loneliness risk death how the early out .
- 3. people no is contact have with little others or This when .
- 4. risk The was death lower premature of 50% adults for .
- 5. associated of with early an death increased All risk .
- 6. more be could alone Living obesity than dangerous .
- 7. challenge The it about done be can what is now face we .
- 8. teach to is problem this with help to way One skills social.
- 9. their more patients about Doctors loneliness should to talk .
- 10. financial take to their They pensions for future out prepare .

CIRCLE THE CORRECT WORD (20 PAIRS)

From http://www.BreakingNewsEnglish.com/1708/170808-loneliness.html

New research suggests that *lonely / loneliness* and social isolation may increase the risk of *dying / die* early by 50 per cent. The research is from Brigham Young University in the USA. Researchers tried to find out how loneliness affected the *risky / risk* of early death. They said loneliness can occur even if people are *surrounded / surrounding* by family and friends. Researchers also looked at the *dangerous / dangers* to health of social isolation. This is when people have *small / little* or no contact with others. The research showed that the risk of *premature / mature* death was 50 per cent lower for adults who *mixture / mixed* with friends and family. Researchers found that loneliness, *social / socially* isolation, and living alone were all *association / associated* with an increased risk of early death.

The researchers added / addition that loneliness, social isolation, and living alone / lone could be more dangerous than obese / obesity. Professor Julianne Holt-Lunstad said the results of / off her research are worrying because the population is aging. She said: "Many nations around the world now suggest we are faced / facing a 'loneliness epidemic'. The challenge we face now is what can be doing / done about it." She suggested that one way to help with this problem is to teach / teaching social skills to children in schools. She also said doctors / doctor should talk more about loneliness to their patients. In addition, she said people should preparation / prepare for their old age social life like they take out / in pensions to prepare for their financial future.

Talk about the connection between each pair of words in italics, and why the correct word is correct.

INSERT THE VOWELS (a, e, i, o, u)

From http://www.BreakingNewsEnglish.com/1708/170808-loneliness.html

N_w r_s__rch s_gg_sts th_t l_n_l_n_ss _nd s_c__l _s_l_t__n m_y _ncr__s_ th_ r_sk _f dy_ng __rly by 50 prcnt. The rs rch s frm Br ghm Y ng _n_v_rs_ty _n th_ _S_. R_s__rch_rs tr__d t_ f_nd t h_w l_n_l_n_ss _ff_ct_d th_ r_sk _f __rly d__th. Th_y s_rr__nd_d by f_m_ly _nd fr__nds. R_s__rch_rs _ls_ $l_kd_t = l_sd_t + l$ Th_s _s wh_n p__pl_ h_v_ l_ttl_ _r n_ c_nt_ct w_th thrs. The reserved that the resk of pr_m_t_r_ d__th w_s 50 p_r c_nt l_w_r f_r _d_lts wh_ m_x_d w_th fr__nds _nd f_m_ly. R_s__rch_rs f__nd th_t | _n_|_n_ss, s_c__| _s_|_t__n, _nd |_v_ng _|_n_ w_r_ _ll _ss_c__t_d w_th _n _ncr__s_d r_sk _f __rly d th. Th_ r_s__rch_rs _dd_d th_t l_n_l_n_ss, s_c__l _s_l_t__n, _nd l_v_ng _l_n_ c__ld b_ m_r_ d_ng_r__s th_n _b_s_ty. Pr_f_ss_r J_l__nn_ H_lt-L_nst_d s__d th_ r_s_lts _f h_r r_s__rch _r_ w_rry_ng b_c__s_ th_ p_p_l_t__n _s _g_ng. Sh_ s__d: "M_ny n_t__ns _r__nd th_ w_rld n_w s_gg_st w_ _r_ f_c_ng _ 'l_n_l_n_ss _p_d_m_c'. Th_ ch_ll_ng_ w_ f_c_ n_w _s wh_t c_n b_ d_n_ _b__t _t." Sh_ s_gg_st_d th_t _n_ w_y t_ h_lp w_th th_s pr_bl_m _s t_ t__ch s_c__l sk_lls t_ ch_ldr_n _n sch__ls. Sh__ ls__ s__d d_ct_rs sh__ld t_lk m_r_ _b__t l_n_l_n_ss t_ th__r p_t__nts. _n _dd_t__n, sh__ s__d p__pl_ sh__ld pr_p_r_ f_r th__r _ld _g_ s_c__l I_f_ l_k_ th_y t_k_ __t p_ns__ns t_ pr_p_r_ f_r th__r f_n_nc__l f_t_r_.

PUNCTUATE THE TEXT AND ADD CAPITALS

From http://www.BreakingNewsEnglish.com/1708/170808-loneliness.html

new research suggests that loneliness and social isolation may increase the risk of dying early by 50 per cent the research is from brigham young university in the usa researchers tried to find out how loneliness affected the risk of early death they said loneliness can occur even if people are surrounded by family and friends researchers also looked at the dangers to health of social isolation this is when people have little or no contact with others the research showed that the risk of premature death was 50 per cent lower for adults who mixed with friends and family researchers found that loneliness social isolation and living alone were all associated with an increased risk of early death

the researchers added that loneliness social isolation and living alone could be more dangerous than obesity professor julianne holt-lunstad said the results of her research are worrying because the population is aging she said "many nations around the world now suggest we are facing a 'loneliness epidemic' the challenge we face now is what can be done about it" she suggested that one way to help with this problem is to teach social skills to children in schools she also said doctors should talk more about loneliness to their patients in addition she said people should prepare for their old age social life like they take out pensions to prepare for their financial future

PUT A SLASH (/) WHERE THE SPACES ARE

From http://www.BreakingNewsEnglish.com/1708/170808-loneliness.html

Newresearchsuggeststhatlonelinessandsocialisolationmayincrease theriskofdyingearlyby50percent.TheresearchisfromBrighamYoung University in the USA. Researchers tried to find out how lone lines saffecte dtheriskofearlydeath. They said lone liness can occur even if people are s urroundedbyfamilyandfriends.Researchersalsolookedatthedangers tohealthofsocialisolation. This is when people have little or no contact wit hothers. There search showed that the risk of premature deathwas 50 pe rcentlowerforadultswhomixedwithfriendsandfamily.Researchersfou ndthatloneliness, socialisolation, and living alonewere all associated wi thanincreasedriskofearlydeath. Theresearchers added that lone liness ,socialisolation,andlivingalonecouldbemoredangerousthanobesity. ProfessorJulianneHolt-Lunstadsaidtheresultsofherresearcharewor ryingbecausethepopulationisaging. Shesaid: "Manynations around the eworldnowsuggestwearefacinga'lonelinessepidemic'. The challenge wefacenowiswhatcanbedoneaboutit."Shesuggestedthatonewaytoh elpwiththisproblemistoteachsocialskillstochildreninschools. Shealso saiddoctorsshouldtalkmoreaboutlonelinesstotheirpatients.Inadditi on, she said people should prepare for their old ages ocial lifelike they take outpensionstopreparefortheirfinancialfuture.

FREE WRITING

Write about Ioneliness for 10 minutes. Comment on your partner's paper.						

ACADEMIC WRITING

e all have a duty to make sure others aren't lonely. Discuss.						

HOMEWORK

- **1. VOCABULARY EXTENSION:** Choose several of the words from the text. Use a dictionary or Google's search field (or another search engine) to build up more associations / collocations of each word.
- **2. INTERNET:** Search the Internet and find out more about this news. Share what you discover with your partner(s) in the next lesson.
- **3. LONELINESS:** Make a poster about loneliness. Show your work to your classmates in the next lesson. Did you all have similar things?
- **4. PLANNING FOR OLD AGE:** Write a magazine article about loneliness and planning for old age. Include imaginary interviews with people who are for and against it.

Read what you wrote to your classmates in the next lesson. Write down any new words and expressions you hear from your partner(s).

- **5. WHAT HAPPENED NEXT?** Write a newspaper article about the next stage in this news story. Read what you wrote to your classmates in the next lesson. Give each other feedback on your articles.
- **6. LETTER:** Write a letter to an expert on loneliness. Ask him/her three questions about it. Give him/her three of your ideas on how to make people less lonely. Read your letter to your partner(s) in your next lesson. Your partner(s) will answer your questions.

ANSWERS

TRUE / FALSE (p.4)

at b FcFdFeTfTgThF

SYNONYM MATCH (p.4)

11. suggests

12. risk

13. occur

14. premature

15. associated

16. dangerous

17. worrying

18. challenge

19. in addition

20. prepare

k. shows

I. chance

m. happen

n. untimely

o. related

p. hazardous

q. concerning

r. problem

s. furthermore

t. get ready

COMPREHENSION QUESTIONS (p.8)

- 1. 50 per cent
- 2. Brigham Young University
- 3. Family and friends
- 4. Little or no contact
- 5. Living alone
- 6. Obesity
- 7. The population
- 8. A loneliness epidemic
- 9. Social skills
- 10. Their social life

MULTIPLE CHOICE - QUIZ (p.9)

1. b 2. d 3. a 4. c 5. b 6. c 7. d 8. a 9. a 10. b

ALL OTHER EXERCISES

Please check for yourself by looking at the Article on page 2. (It's good for your English ;-)